# NATIONAL INSTITUTE OF HYDROLOGY (A Govt. of India Society under Ministry of Jal Shakti, Department of Water Resources, RD & GR) JALVIGYAN BHAWAN, ROORKEE – 247 667 (UTTARAKHAND) INDIATEI: 91-

1332-249-294/295
E-mail: purchaseofficer.nihr@gov.in; Website: www.nihroorkee.gov.in

Tender Notice No: 5(XIII)/2023-24/NIH/Pur-27 Dated: 12.01.24

## **TENDER NOTICE**

Sealed item rate tenders are invited in two bid System comprising Technical & Financial from Contractors/ Firms which are registered with CPWD/State PWD/ MES for the appropriate category & class including Registered contractors of NIH, Roorkee & having experience of building construction with IITs/PSUs/Autonomous Organization of the Central/State Government/any big and reputed private organization for the work detailed below:

SI. No.	Name of Works	Estimated cost (in Rupees)	Tender Cost (in Rupees)	Time of Completion
1.	Renovation of Rooms of Lab Blocks at N.I.H	Rs.17,00,784/-	500+90=590/- (Including GST) Non-refundable	3 months

The tenders may be obtained from the Procurement Section on or before 01.02.2024 up to 3.00 PM and Technical Bids will be opened on the same day at 4.00 PM.

Director, NIH reserves the right to reject or accept any or all the tenders, partly or fully without assigning any reason. The NIT is also available on website: www.nihroorkee.gov.in.

**PURCHASE OFFICER** 

# NATIONAL INSTITUTE OF HYDROLOGY

(A Govt. of India Society under Ministry of Jal Shakti, Department of Water Resources, RD & GR) JALVIGYAN BHAWAN.

ROORKEE – 247 667 (UTTARAKHAND) INDIATel: 91-1332-249-294/295

E-mail: purchaseofficer.nihr@qov.in; Website: www.nihroorkee.gov.in

Tender Notice No: 5(XIII)/2023-24/NIH/Pur-27 Dated: 12.01.24

#### **TENDER NOTICE**

Sealed item rate tenders are invited in two Bid System comprising Technical & Financial from Contractors/Firms which are registered with CPWD/State PWD/ MES for the appropriate category & class including registered contractors of NIH, Roorkee & having experience of building construction with IITs/PSUs/Autonomous Organization of the Central/State Government/any big and reputed private organization for the work detailed below:

Institute reserves the right to cancel any or all tenders without assigning anyreason.

SI. No.	Name of Works	Estimated cost (in Rupees)	Tender Cost (in Rupees)	Time of Completion
1.	Renovation of Rooms of Lab Blocks at N.I.H	Rs.17,00,784/-	500+90=590/- (Including GST)	3 months
			Non-refundable	

# **TERMS AND CONDITIONS**

- 1. Complete Tender document is to be dropped in the Tender Box kept in the Officeof Purchase Officer, NIH, Roorkee on or before <u>01.02.2024 up to 3:00 P.M.</u> Technical Bid shall be opened on <u>01.02.2024 at 4.00 P.M.</u> Firms/company/ agency/contractor or their authorized representative (in case of authorized representatives proper authorization letter must be brought for verification) who have responded to the tender(s) may be present, if they so wish, at the time of opening of the bid. Financial bids of qualified firms will be opened afterwards and date & time will be intimated to the qualified firms by e- mail/post/telephonically.
- 2. The complete tender is required to be submitted along with the dully filled BidSecuring Declaration Form (Annexure-A). Tender without dully filled Bid Securing Declaration Form shall stand rejected.
- 3. The tender form can be purchased from the office of Purchase Officer, NIH, Roorkee to only those Contractors/ Agencies who send a request application accompanied with a Bank Draft of Rs. 590/- in favour of National Institute of Hydrology, Roorkee. Application for the above tender be submitted to the Officeof the undersigned up to <u>01.02.2024</u> at 03:00 PM and same shall not be entertained after due date and time. The tender form can also be seen and downloaded from our website <u>www.nihroorkee.gov.in</u>but the bid shall be accepted only with bank draft of Rs. 590/- in favour of National Institute of Hydrology, Roorkee, payable at Roorkee as a part of the technical bid.

- 4. Eligibility Criteria and Experience Certificate of Govt. Offices/ Semi- Govt./ State Govt./ IITs/ PSUs / Autonomous Organization of the Central/State Government / PSUs & Reputed Private Organization: -
- a. Experience of having successfully completed similar works during the last 7 years ending previous day of last date of submission of tenders.

Three similar completed works costing not less than the amount equal to 40% of the estimated cost.

Or

Two similar completed works costing not less than the amount equal to 60% of the estimated cost.

Or

One similar completed work costing not less than the amount equal to 80% of the estimated cost.

- 5. Authentic Experience Certificate issued by the Officer of the Rank of not less than Executive Engineer/ Equivalent would be acceptable.
- 6. In case of private work the authenticated statement of TDS deduction by the client be enclosed with experience certificate as part of Technical Bid.

**PURCHASE OFFICER** 

Tender	No:	
Name o	f Firms:	

# (A) NATIONAL INSTITUTE OF HYDROLOGY

(A Govt. of India Society under Ministry of Jal Shakti, Department of Water Resources, RD & GR) JALVIGYAN BHAWAN, ROORKEE – 247 667 (UTTARAKHAND) INDIA

Tel: 91-1332-249217/294, Fax: 91-1332-2727123. 273976

E-mail: purchaseofficer.nihr@gov.in; Website: www.nihroorkee.gov.in

Tender Notice No: 5(XII)/2023-24/NIH/Pur-27 Dated: 12.01.24

#### **Technical Bid**

#### **FormFor**

Name of Work: Renovation of Rooms of Lab Blocks at N.I.H

#### LAST DATE AND TIME FOR

Receipt of Tenders : (Technical bid and financial bid) 3.00 PM 1. 01.02.24:

Opening of Bids 2. 01.02.24: 4.00 PM

(Technical Bid)

# Technical Bid Format (A) QUALIFYING INFORMATION

Please furnish the following information along with documentary evidence possible only in this format (as eligibility criteria)

The information to be filled in by the Bidder in the following pages will be used for purposes of Pre-qualification and submitted the supporting documents.

1.	Name of Bidder	
2.	Constitution of legal status of Bidder (In case of firm) Attach copy.	
3.	Place of Registration and Registration Number	
4.	(a) Year for Establishment of Firm	
	(b) Complete Address	
	(c) Email I.D.	
	(d) Contact Number	
5.	Principal place of business	
6.	Permanent Account Number	
7.	TIN/GST No.	
8.	Work performed as contractor (in the same name) on works of similar nature. Scope of work executed should be as follows: **	
9.	(a) Eligibility Criteria and Experience Certificate of Govt. Offices/Semi-Govt./State Govt./IITs/PSUs/Autonomous Organization of the Central/State Govt./ PSUs & Reputed Private Organization	
	(b) Experience of having successfully completed similar works during the last 7 years ending previous day of last dated of submission of tender: Three similar completed works costing not less than the amount equal to 40% of the estimated cost OR Two similar completed works costing not less than the amount equal to 60% of the estimated cost. OR One similar completed work costing not less than the amount equal to 80% of the estimated cost.	

 $<sup>^{\</sup>star\star}$  Bidders should submit copy of satisfactory service/completion certificate as per the scope mentioned in RFP.

SI.	Description	of	Date of	Date of	Address/	Value of
No.	work		Start	Completion	Location/Name	work
					of the Client	completed done

If required separate sheet may be enclosed

# 10. Detail of Works in hand:

SI.	Description	of	Date	of	Date	of	Address/	Cost of	Cost of
No.	work		Start		Comple	-	Location/	the work	the work
					tion		Name of	allotted	executed
							the Client		till date
				•					

If required separate sheet may be enclosed.

- 11. The list of Technical & Non-Technical Supervisor Staff required to deputed at site be enclosed separately.
- 12. Any other information highlighting the qualifying criteria, competency, credential and capability in handling building work.

Signature of Bidder with Seal

#### NATIONAL INSTITUTE OF HYDROLOGY

(A Govt. of India Society under Ministry of Jal Shakti, Department of Water Resources, RD & GR) JALVIGYAN BHAWAN,

# ROORKEE – 247 667 (UTTARAKHAND) INDIA

Tel: 91-1332-249217/294, Fax: 91-1332-2727123. 273976 E-mail: purchaseofficer.nihr@gov.in; Website: www.nihroorkee.gov.in

Tender Notice No: 5(XIII)/2023-24/NIH/Pur-27 Dated: 12.01.24

#### **INSTRUCTIONS FOR BIDDING**

**SUBJECT**: Renovation of Rooms of Lab Blocks at N.I.H

Sealed tenders are hereby invited from resourceful, financially sound and competent civil contractor/agencies/ firms for the work as stated above in two bid system as given below:

- (A) Technical Bid Form
- (B) Financial Bid Form

It may be noted that tenders should be submitted in the above (enclosed) forms as two separate bids, i.e. (A) Technical Bid, and (B) Financial Bid. Both the bids should be sealed in separate third envelop super-scribing the name of the work and biding agency.

### (A) TECHNICAL BID or (B) FINANCIAL BID

The envelope should be addressed and sent to the "Purchase Officer, National Institute of Hydrology, Jalvigyan Bhawan, Roorkee - 247 667 (U.K.)" so as to reach on due date and time. Tenders received after the due date for whatsoever reason, including postal delays, shall not be considered any circumstance.

Tender Forms along with terms and conditions, can be obtained from the office of Purchase Officer, National Institute of Hydrology, Roorkee on any working day from 10.00 a.m. to 5.00 p.m. on producing the receipt of depositing of Rs. 590/- in cash in the Institute Treasury or with a non-refundable bank draft of Rs. 590/- (Rupees five hundred Ninety only) in favour of "National Institute of Hydrology, Roorkee", payable at Roorkee or it can be downloaded from our website www.nihroorkee.gov.in. The tender documents completed in all aspect, should reach the office of Purchase Officer, NIH within the stipulated date and time. The Institute will not be responsible for any postal or any other delays.

After first verifying, the "Technical Bids" shall be opened at 01.02.2024 at 4.00 P.M.in the office of the Chairman, Tender Opening Committee, in the presence of the representatives of the bidding agencies, who wish to be so present. No separate communication will be made in this regard. The technical bids shall be evaluated on the basis of credentials and eligibility criteria on the basis of which the bidders wouldbe short listed for prequalification for the opening of the Financial Bid.

The bidders should be prepared to visit Roorkee for this purpose at short notice. Any additional information needed by the Institute to evaluate the professional capabilities of the bidding firm(s) shall have to be submitted by the concerned firm(s).

The "Financial Bids" of only the short listed/prequalified firms shall be opened subsequently for which separate information would be given either through email/telephonically/post.

It may also be noted that the tender bids received after the stipulated date and time or found incomplete and the tender bids containing false/incorrect informationshall be summarily rejected. The Institute shall not entertain any communication in this regard, whatsoever.

The Director, NIH, Roorkee reserves the right to reject any tender or all the tenders or accept them in part, or reject the lowest tender, without assigning any reasons thereof.

# SCHEDULE "D"

Name of work: Renovation of Rooms of	Lab Blocks at N.I.H.
--------------------------------------	----------------------

DE	CI	AR	А٦	$\Gamma$	N

1.	(A) I/We hereby declare that I/we (Name)
	have no other business relations with the Institute.
	OR Have the following other association with the Institute.
2.	(A) Have no relatives or connection by marriage on the staff of the Institute.  OR

(B) Have the following relatives or connection by marriage on the staff of the Institute.

Name	Relationship	Designation	Office in which
			Posted

Signature and full address of the contractor /contractors

Note: Stick out (a) or (b) of each of the above declaration which is not applicable.

# **UNDER TAKING**

# (ON A NON JUDICIAL STAMP PAPER OF Rs.100/-)

Name and Address of the firm/company/Agency/contractor	
Name of the tender	
Due date:	
Sir,	
	(Signature of the Bidder)
Name	e and Address of the Bidder.
Telep	phone No

# **Check List**

The following documents (in same order), must be furnished and attached alongwith the "Technical Bid": -

Particulars
Securing Bid Declaration form against EMD.
Tender Form Fee (only in case of downloaded tender form) as stated above. (in a separate envelope super scribed "Tender Form Fee")
Copy of Registration/Enlistment letter of the firm/company/agency.
Copy of affidavit duly notarized regarding proof of proprietor (in case of Proprietorship firm).
Copy of valid PAN Card.
Copy of valid TIN/GST No.
Eligibility Criteria and Experience Certificate of Govt. Offices/Semi- Govt./State Govt./IITs/PSUs/Autonomous Organization of the Central/State Government/PSUs & Reputed Private Organization.
Experience of having successfully completed similar works during the last 7 years ending previous day of last dated of submission of tenders:
Three similar completed works costing not less than the amount equal to 40% of the estimated cost.
OR
Two similar completed works costing not less than the amount equal to 60% of the estimated cost.
OR
One similar completed work costing not less than the amount equal to 80% of the estimated cost.
All the pages of the tender document should be signed including Technical and Financial Bids, Schedule C&D etc.
Any other document as may be necessary in connection with the job tendered for, including certificate of
Experience and list of clients (with address) where presently services are provided.

Name of Firms:-....

(B)

NATIONAL INSTITUTE OF HYDROLOGY
(A Govt. of India Society under Ministry of Jal Shakti,
Department of Water Resources, RD & GR)
JALVIGYAN BHAWAN,

ROORKEE – 247 667 (UTTARAKHAND) INDIA Tel: 91 1332-249217/294, Fax: 91-1332-2727123. 273976

E-mail: purchaseofficer.nihr@gov.in; Website: www.nihroorkee.gov.in Tender

Notice No: 5(XIII)/2023-24/NIH/Pur-27 Dated: 12.01.24

#### **Financial Bid Form**

For

Name of work: Renovation of Rooms of Lab Blocks at N.I.H

Note: Financial Bids of qualified firms will be opened afterwards and date will be intimated to qualified firm. (Opening date& time shall be informed to only the short listed prequalified bidder)

#### OTHER TERMS AND CONDITIONS:

- 1. The work must be completed and finished in accordance with the scope of work, specifications and terms and conditions of the contract document on or before Three (3) calendar months from the date of receipt of the order to commence work.
- 2. The rates shall be inclusive of GST and other taxes of any nature. Bidder shouldkeep in to consideration all fluctuations in market rate and no claim be entertained due to any such variation prior to the acceptance of tender and or during currency of the contract.
- 3. The quantities given in the statement of bill of quantity are liable to the variations and the contractor shall be bound to execute the changed quantities at his tendered rates without entitling him to any compensation whatsoever. However, in case of increase of quantities of work, suitable extension of time limit for completion of work can be granted on the basis of justified reasons.
- 4. Tender shall remain open for acceptance for a period of three months from the date of opening the tenders.
- 5. The rates shall be written in figures & words and shall be in English or in Hindi and should be free from errors and over-writing. All cancellations and insertions shall be duly signed by the tenders. In case of discrepancy between the rates written in words and figures, the rates written in lower side shall be considered
- 6. All rates shall be quoted on the blank form of the tender documents only. Tenders with rates quoted in Plain paper are liable to be rejected.
- 7. Institute reserved the rights to reject any or all tenders, accept part of any tender without assigning any reason thereof. If a part of the work is allotted, the bidder shall have to sign the contract bond for the part Work allotted to him. If the bidder refuses to accept part work so allotted his earnest money shall beforfeited unless it has been clearly specified in the tender that part work shall not be acceptable to him.
- 8. Unless the person whose tender is accepted sign within 7 days after he is required to do so, the earnest money deposited to him with that tender will be forfeited and acceptance of his tender withdrawn
- 9. On acceptance of the tender the name of the accredited representative of the contractor who would be responsible for taking instructions from the Engineer In-charge shall be communicated to the Office calling for tenders.
- Defect liability period for this work would be 01 years from the date of successful completion of the work.
- 11. The bidder will be asked to deposit security amount on account of defect liability over the face value of agreements as given below at the time of entertaining into the agreement in the shape of as mentioned in condition No.6 above:
  - a. In the case of works estimated to cost upto Rs. 1.00 lacs ,10% of the estimated cost
  - b. In the case of works estimated to cost more than Rs. 1.00 lac and upto Rs. 2.00 lacs to 10% on the first 1.00 lac and 7.5% on the balance.
  - c. In the case of works estimated to cost more than Rs. 2.00 lacs to 10% on first Rs. 1.00 lac, 7.5% on the next Rs. 1.00 lac and 5% on the balance.
- 12. Challan for payment of GST should be provided by the contractor.
- 13. Contractor should be responsible for all GST compliances and liabilities in respect of Tender and Award of the work.
- 14. 100% payment will be made after satisfactory completion of workreport/certificate from Indenting Division as per Rule No. 139(vii) of GFR – 2017 and submission of Security Deposit as per tender conditions by the Contractor.
- 15. No running payment will be made.
- 16. Stamp duty will be payable by the contractors as per rules.

	Detail estimate based on DSR December, 2021  S.   Code. N.   Particular				)4/12/2023
S. N	Code. N.	Particular	Qty.	Rate	Amount
	8.11	Providing and fixing machine cut, mirror/ eggshell polished	58 sqm		
•	0.11	, Marble stone work for wall lining (veneer work) including	Jo sqiii		
		dado, skirting, risers of steps etc., in required design and			
		pattern (if required with marble stone slab pieces of different			
		shapes, sizes & texture but of even thickness) on 12 mm			
		(average) thick cement mortar 1:3 (1 cement : 3 coarse sand)			
		laid and jointed with white cement slurry @			
		3.3 kg/sqm including pointing with white cement slurry			
		admixed with pigment of matching shade, includingrubbing,			
		curing, polishing etc. all complete as per Architectural			
		drawings, and as directed by the Engineer-in-			
		Charge. 8.11.1 18 mm thick Italian Marble stone slab,			
		Perlato, Rosso verona, Fire Red or Dark Emperadore etc.			
2.		Providing and fixing <b>aluminium work</b> for doors, windows,	480 kg		
<b>-</b> •	21.1	ventilators and partitions with extruded built up standard	TOU Ag		
		tubular sections/appropriate Z sections and other sections of			
		approved make conforming to IS: 733 and IS: 1285, fixing			
		with dash fasteners of required dia and size, including			
		necessary filling up the gaps at junctions, i.e. at top, bottom			
		and sides with required EPDM rubber/neoprene gasket etc.			
		Aluminium sections shall be smooth, rust free, straight,			
		mitred and jointed mechanically wherever required including			
		cleat angle, Aluminium snap beading for glazing / paneling,			
		C.P. brass / stainless steel screws, all complete as per			
		architectural drawings and the directions of Engineer-in-			
		charge. (Glazing, paneling anddash fasteners to be paid for			
		separately):			
		<b>21.1.1 For fixed portion.</b> 21.1.2.2 Powder coated aluminium			
		(minimum thickness of powder coating 50			
		micron).			
<u> </u>		,	220.1		
3.		For shutters of doors, windows & ventilators including	320  kg		
		providing and fixing hinges/ pivots and making provision for			
		fixing of fittings wherever required including the cost			
		of EPDM rubber / neoprene gasket required (Fittings shallbe			
		paid for separately).			
		21.1.2.2 Powder coated aluminium (minimum thickness of			
		powder coating 50 micron.)			
4.	21.3	Providing and fixing glazing in aluminium door, window,	18		
		ventilator shutters and partitions etc. with EPDM rubber /	sqm		
		neoprene gasket etc. complete as per the architectural	1		
		drawings and the directions of engineer-in-charge. (Cost of			
		aluminium snap beading shall be paid in basic item):			
		21.3.2 With float glass panes of 5 mm thickness (weight not			
		less than 12.50 kg/sqm).	10		
5.		Providing and fixing 12 mm thick prelaminated particle	12		
		board flat pressed three layer or graded wood particle board	sqm		
		conforming to IS: 12823 Grade l Type ll, in paneling fixed in			
		aluminum doors, windows shutters and partition frames with			
		C. P. brass / stainless steel screws etc. complete as per			
		architectural drawings and directions of			
		engineer-in-charge. 21.2.2 Pre-laminated particle board		i	i

		with decorative lamination on both sides.		
6.	21.17	Providing and fixing anodised <b>aluminium grill</b> (anodised	56 kg	
•	21117	transparent or dyed to required shade according to IS: 1868	Jong	
		with minimum anodic coating of grade AC 15) of approved		
		design/pattern, with approved standard section and fixed to		
		the existing window frame with C.P. brass/ stainless steel		
		screws @ 200 mm centre to centre, including cutting the grill		
		to proper opening size for fixing and operation ofhandles and		
		fixing approved anodised aluminium standard section around		
		the opening, all complete as per requirementand direction of		
		Engineer-in-charge. (Only weight of grillto be measured for		
		payment).		
7.	9.100	Providing and fixing aluminium handles, ISI marked,	68	
		anodised (anodic coating not less than grade AC 10 as per IS	nos.	
		: 1868) transparent or dyed to required colour or shade, with		
		necessary screws etc. complete: 9.100.2, 100 mm.		
8.	9.100.1	Providing and fixing aluminium handles, ISI marked,	10	
<b>J.</b>	7.100.1	anodised (anodic coating not less than grade AC 10 as per	nos.	
		IS: 1868) transparent or dyed to required colour or shade,	1105.	
	0.07	with necessary screws etc. complete: 9.100.1, 125 mm.	7.5	
9.	9.97	Providing and fixing aluminium tower bolts, ISI marked,	75	
		anodized (anodic coating not less than grade AC 10 as per	nos.	
		IS: 1868) transparent or dyed to required colour or shade,		
		with necessary screws etc. complete: 9.97.1 300x10 mm.		
10.	9.101	Providing and fixing aluminium hanging floor door	10	
		stopper, ISI marked, anodised (anodic coating not less than	nos.	
		grade AC 10 as per IS: 1868) transparent or dyed to required		
		colour and shade, with necessary screws etc.		
		complete. 9.101.1, Single rubber stopper.		
11.	NSR	Supply & fixing SS Mosquito net on windows, up to II <sup>nd</sup>	40 sqm	
	TUDIC	floor including all material, labour T&P, scaffolding etc.	10 sqiii	
		complete		
12.	NSR	Supply & fixing <b>Hinges</b> stainless steel 4'' size.	125	
14.	NSK	Suppry & fixing <b>ringes</b> stanness steel 4 size.		
12	NCD	C10 C Ald	nos.	
13.	NSR	Supply & fixing Aldrops.	10	
4.4	0.100		nos.	
14.	0432	Brass hasps and staples (safety type) 115 mm.	32	
			nos.	
15.	2456	Hydraulic door closer bottle type M.S. body with	10	
		necessary accessories and screws complete. (Minimum 2	nos.	
		year warranty).		
16.	15.12	Dismantling doors, windows and clerestory windows	49	
		(steel or wood) shutter including chowkhats, architrave,	nos.	
		holdfasts etc. complete and stacking within 50 meters lead:		
		15.12.2, Of area beyond 3 sq. meters.		
17.	13.7	12 mm <b>cement plaster</b> finished with a floating coat of neat	82 sam	
1/.	13./	cement of mix: 13.7.1 1:4 (1 cement: 4 fine sand).	82 sqm	
10	12.52	·	71	
18.	12.52	Providing and fixing tiled false ceiling of specified		
		materials of size 595x595 mm in true horizontal level,	sqm	
		suspended on inter locking metal grid of hot dipped		
		galvanized steel sections ( galvanized @ 120 grams/ sqm,		
		both side inclusive) consisting of main "T" runner with		
		suitably spaced joints to get required length and of size		
		<del>-</del>		

				1
		24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, requiredcutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleatsof size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mmdia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be prepainted with polyester paint, all complete for all heightsas per specifications, drawings and as directed by Engineer-incharge. 12.52.2 GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheethaving galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and havingNRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending andperforation, and backed with a black Glass fiber acoustical fleece.		
19.	15.2	<b>Demolishing cement concrete</b> manually/ by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge. 15.2.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix).	6 cum	
20.	11.47	Providing and laying <b>vitrified tiles</b> in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set <b>tile adhesive</b> (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). 11.47.2 Size of Tile 600x600 mm.	162 sqm	
21.	NSR	Providing and fixing <b>vertical blinds</b> of required shapes and size made of 100mm wide louvers of approved colour/shade including metallic rods/sliding channel, runners hoisting chain clamps/clips and other fixtures etc. complete of vista/deck or equivalent as per direction of engineer-in-charge(sample should be got approved from Engineer-in-charge).	62 sqm	
22.	15.60	Disposal of building rubbish/malba/similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-	6 cum	

		charge, beyond 50 m initial lead, for all leads including all lifts involved.		
23.	6.1	<b>Brick work</b> with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 6.1.2 Cement mortar 1:6 (1 cement: 6 coarse sand).	2 cum	
24.	6.12 <b>Half brick masonry</b> with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in: 6.12.1 Cement mortar 1:3 (1 cement: 3 coarse sand).		88 sqm	
25.	NSR	<b>Dismantling of channel gate</b> including stacking and repair of damaged wall surface area with 1:3 cement mortars.		
26.	15.7	<b>Demolishing brick work</b> manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge. 15.7.4 In cement mortar		
27.	NSR	Credit dismantled flush door/cup board door.	49 nos.	
28.	NSR	Credit for <b>iron items.</b>	134 kg	
		Total Rs.		
		GST		
		G.Total Rs.		

Tender No. \_\_\_\_\_

# **Bid Securing Declaration Form**

Date:\_\_\_\_\_

To:	[insert complete name	and address of the purchaser]			
I/ V	√e, the undersigned, declare	that:			
I/W	e understand that, according	g to your conditions, bids must	be supported by a Bid-Securing Declaration		
	m the date of notification if I		ny contract with you for a period of one year obligation under the bid conditions, because		
	<ul> <li>(a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or</li> <li>(b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validition (i) fail or reuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performant Security, in accordance with the instructions to bidders.</li> </ul>				
	I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (i thirty days after the expiration of the validity of my/our Bid.				
	Signed :	(insert signature of person whos	se name and capacity are shown)		
	In the capacity of	(insert legal capacity of person	signing the Bid Securing Declaration)		
	Name :	(insert complete name of persor	n signing the Bid Securing Declaration)		
	Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]				
	Dated on	_day of	, [insert date of signing]		
	Corporate Seal (where appropriate)				
	[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all partners to				